

Biscotti CBD

Sample ID: SA-260722-84126
 Batch: CB-07.22.26
 Type: Finished Product - Inhalable
 Matrix: Concentrate - Vape
 Unit Size (g):
 Unit Volume (mL): , Density (g/mL):

Received: 07/24/2026
 Completed: 08/03/2026

Client
 TribeTokes
 242 W 38th St
 New York, NY 10018
 USA


Summary

Test	Date	Status
Cannabinoids	08/03/2026	Tested

ND	48.0 %	76.0 %	Not Tested	Not Tested	Yes
Total Δ9-THC	CBD	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

Cannabinoids by HPLC-PDA and GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	3.85	38.5
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	48.0	480
CBDA	0.0043	0.013	ND	ND
CBDB	0.0133	0.04	ND	ND
CBD-C8	0.0133	0.04	ND	ND
CBDH	0.0133	0.04	ND	ND
CBDP	0.0133	0.04	ND	ND
CBDV	0.0061	0.0182	0.214	2.14
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	18.3	183
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	0.429	4.29
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	0.671	6.71
CBNA	0.006	0.0181	ND	ND
CBP	0.0133	0.04	ND	ND
CBT	0.018	0.054	4.60	46.0
Δ4,8-iso-THC	0.0133	0.04	ND	ND
Δ6a,10a-THC	0.0133	0.04	ND	ND
Δ8-iso-THC	0.0133	0.04	ND	ND
Δ8-THC	0.0104	0.0312	ND	ND
Δ8-THCB	0.0133	0.04	ND	ND
Δ8-THC-C8	0.0133	0.04	ND	ND

Cannabinoid results continued on next page...



Generated By: Christopher Kyzar
 QA/QC Manager
 Date: 08/03/2026





KCA Laboratories
1509 Bull Lea Rd, Ste 100
Lexington, KY 40511

+1-833-KCA-LABS
<https://kcalabs.com>
KDA Lic.# P_0058

Certificate of Analysis

2 of 2

Biscotti CBD

Sample ID: SA-260722-84126
Batch: CB-07.22.26
Type: Finished Product - Inhalable
Matrix: Concentrate - Vape
Unit Size (g):
Unit Volume (mL): , Density (g/mL):

Received: 07/24/2026
Completed: 08/03/2026

Client
TribeTokes
242 W 38th St
New York, NY 10018
USA

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
Δ8-THCH	0.0133	0.04	ND	ND
Δ8-THCP	0.0133	0.04	ND	ND
Δ8-THCV	0.0133	0.04	ND	ND
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCB	0.0133	0.04	ND	ND
Δ9-THC-C8	0.0133	0.04	ND	ND
Δ9-THCH	0.0133	0.04	ND	ND
Δ9-THCP	0.0133	0.04	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
(6aR,9R)-Δ10-THC	0.0133	0.04	ND	ND
(6aR,9S)-Δ10-THC	0.0133	0.04	ND	ND
exo-THC	0.0133	0.04	ND	ND
(6aR,9R,10aR)-HHC	0.0133	0.04	ND	ND
(6aR,9S,10aR)-HHC	0.0133	0.04	ND	ND
Total Δ9-THC			ND	ND
Total			76.0	760

ND = Not Detected; NR = (Spike) Not Recoverable, sample matrix interference present which may affect accuracy of results; NT = Not Tested; UA = Unsuitable for Analysis; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Christopher Kyzar
QA/QC Manager
Date: 08/03/2026

Tested By: Kelsey Rogers
Senior Scientist
Date: 08/03/2026



ISO/IEC 17025:2017 Accredited
Accreditation #108651



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

Certificate of Analysis

Produced: Mar 10, 2026

Sample: Crystal Resistant CBD Distillate - High Minors (Distillate) • Client: Red Mesa Science and Refining • Batch: Pass



Batch No.: R260305MS101
Matrix: Distillate
Sample ID: ICC-260306-20-001
Collected on: Mar 06, 2026
Received on: Mar 06, 2026
Sample Size: 20 g

Batch Result: Pass

Potency	Tested
Solvents	Pass
Metals	Pass
Mycotoxins	Pass
Pesticides	Pass

Cannabinoid Overview

Total THC:	0.114 %
Total CBD:	54.5 %
Total Cannabinoids:	85.2 %
Sum of Cannabinoids:	85.2 %

POT-INST-005, POT-PREP-001: POT-INST-005, POT-PREP-001: Potency • Mar 10, 2026 10:10:00 PDT

Analyte	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail	Analyte	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail
CBC	4.17	41.7	0.268/0.803	N/A	CBT	4.71	47.1	0.116/0.406	N/A
CBD	54.5	545	0.0818/0.406	N/A	Δ ⁸ -THC	ND	ND	0.0656/0.406	N/A
CBDA	ND	ND	0.196/0.587	N/A	Δ ⁹ -THC	0.114	1.14	0.108/0.406	N/A
CBDV	0.267	2.67	0.0649/0.406	N/A	THCA	ND	ND	0.149/0.447	N/A
CBG	20.4	204	0.0924/0.406	N/A	THCV	ND	ND	0.0501/0.406	N/A
CBGA	ND	ND	0.144/0.433	N/A	Total THC**	0.114	1.14		N/A
CBL	0.386	3.86	0.0638/0.406	N/A	Total CBD**	54.5	545		N/A
CBN	0.669	6.69	0.0924/0.406	N/A	Total Cannabinoids**	85.2	852		N/A

** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)
** Total THC = Delta-10-THC + Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + THC-O-acetate + (THCA x 0.877)
** Total CBD = CBD + (CBDA x 0.877)
NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope*
*Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



Signature of David Marelius

Signature of Erik Paulson

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Mar 10, 2026 12:33:00 PDT

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.166/0.505	Pass	Hexane	290	ND	0.0655/0.279	Pass
Acetone	5000	53.6	16.9/50.8	Pass	Isopropyl alcohol	5000	ND	1.27/3.81	Pass
Acetonitrile	410	ND	0.119/0.356	Pass	Methanol	3000	46.5	2.95/8.85	Pass
Benzene	1	ND	0.0208/0.0634	Pass	Methylene chloride	1	ND	0.126/0.723	Pass
Butane	5000	ND	0.963/4.81	Pass	Pentane	5000	ND	0.954/4.24	Pass
Chloroform	1	ND	0.0357/0.107	Pass	Propane	5000	ND	4.40/13.2	Pass
Ethanol	5000	1440	2.59/7.78	Pass	Toluene	890	ND	0.0873/0.857	Pass
Ethyl acetate	5000	ND	0.310/2.27	Pass	Trichloroethylene	1	ND	0.0179/0.144	Pass
Ethylene oxide	1	ND	0.152/0.574	Pass	o-Xylene		ND	0.0999/0.850	N/A
Ethyl ether	5000	ND	1.17/3.52	Pass	p- and m-Xylene		ND	0.114/1.70	N/A
Heptane	5000	ND	0.681/2.84	Pass	Total xylenes	2170	ND	0.100/0.851	Pass

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Mar 09, 2026 11:55:00 PDT

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	0.2	ND	0.00300/0.00900	Pass	Lead	0.5	ND	0.00100/0.00400	Pass
Cadmium	0.2	ND	0.00100/0.00200	Pass	Mercury	0.1	ND	0.00500/0.0140	Pass

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Mar 10, 2026 14:47:00 PDT

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	2.96/8.98	N/A	Aflatoxin G2		ND	2.07/6.26	N/A
Aflatoxin B2		ND	3.36/10.2	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	1.73/5.25	N/A	Ochratoxin A	20	ND	4.41/13.4	Pass

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Mar 10, 2026 15:59:00 PDT

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	0.7	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0602/0.181	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.1	ND	0.0182/0.0545	Pass
Cyfluthrin	2	ND	0.0186/0.0558	Pass					



PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Mar 10, 2026 14:47:00 PDT

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.1	ND	0.0500/0.100	Pass	Methiocarb	Any amt	ND	0.00245/0.0300	Pass
Abamectin Ba		ND	0.0330/0.0990	N/A	Methomyl	1	ND	0.00879/0.0300	Pass
Acephate	0.1	ND	0.00743/0.0300	Pass	Mevinphos	Any amt	ND	0.00772/0.0300	Pass
Acequinocyl	0.1	ND	0.0150/0.0456	Pass	Myclobutanil	0.1	ND	0.00707/0.0300	Pass
Acetamiprid	0.1	ND	0.00496/0.0300	Pass	Naled	0.1	ND	0.00849/0.0300	Pass
Aldicarb	Any amt	ND	0.00838/0.0300	Pass	Oxamyl	0.5	ND	0.00746/0.0300	Pass
Azoxystrobin	0.1	ND	0.00530/0.0300	Pass	Paclobutrazol	Any amt	ND	0.00851/0.0300	Pass
Bifenazate	0.1	ND	0.00706/0.0300	Pass	Permethrin	0.5	ND	0.00190/0.0300	Pass
Bifenthrin	3	0.212	0.00439/0.0300	Pass	Permethrin cis		ND	0.0200/0.0300	N/A
Boscalid	0.1	ND	0.00809/0.0300	Pass	Permethrin trans		ND	0.0200/0.0300	N/A
Carbaryl	0.5	ND	0.00604/0.0300	Pass	Phosmet	0.1	ND	0.00511/0.0300	Pass
Carbofuran	Any amt	ND	0.00538/0.0300	Pass	Piperonylbutoxide	3	0.200	0.00267/0.0300	Pass
Chlorantraniliprole	10	ND	0.00883/0.0300	Pass	Prallethrin	0.1	ND	0.0235/0.0711	Pass
Chlorpyrifos	Any amt	ND	0.0152/0.0460	Pass	Propiconazole	0.1	< LOQ	0.00909/0.0300	Pass
Clofentezine	0.1	ND	0.00206/0.0300	Pass	Propoxur	Any amt	ND	0.00780/0.0300	Pass
Coumaphos	Any amt	ND	0.00393/0.0300	Pass	Pyrethrins	0.5	ND	0.00278/0.0300	Pass
Daminozide	Any amt	ND	0.0176/0.0534	Pass	Pyrethrins Cinerin I		ND		N/A
Diazinon	0.1	ND	0.00475/0.0300	Pass	Pyrethrins Cinerin II		ND		N/A
Dichlorvos	Any amt	ND	0.0182/0.0550	Pass	Pyrethrins Jasmolin I		ND		N/A
Dimethoate	Any amt	ND	0.00592/0.0300	Pass	Pyrethrins Jasmolin II		ND		N/A
Dimethomorph	2	ND	0.00454/0.0300	Pass	Pyrethrins Pyrethrin I		ND	0.0100/0.0450	N/A
Ethoprophos	Any amt	ND	0.00610/0.0300	Pass	Pyrethrins Pyrethrin II		ND	0.0100/0.0300	N/A
Etofenprox	Any amt	ND	0.00437/0.0300	Pass	Pyridaben	0.1	ND	0.00231/0.0300	Pass
Etoxazole	0.1	ND	0.00365/0.0300	Pass	Spinetoram	0.1	ND	0.00119/0.0300	Pass
Fenhexamid	0.1	ND	0.0113/0.0342	Pass	Spinetoram J		ND	0.00500/0.0100	N/A
Fenoxycarb	Any amt	ND	0.00415/0.0300	Pass	Spinetoram L		ND	0.00500/0.0100	N/A
Fenpyroximate	0.1	ND	0.00396/0.0300	Pass	Spinosad	0.1	ND	0.000830/0.0300	Pass
Fipronil	Any amt	ND	0.0165/0.0500	Pass	Spinosad A		ND	0.00500/0.0100	N/A
Flonicamid	0.1	ND	0.0115/0.0350	Pass	Spinosad D		ND	0.00500/0.0100	N/A
Fludioxonil	0.1	ND	0.0119/0.0362	Pass	Spiromesifen	0.1	ND	0.00894/0.0300	Pass
Hexythiazox	0.1	ND	0.00124/0.0300	Pass	Spirotetramat	0.1	ND	0.00808/0.0300	Pass
Imazalil	Any amt	ND	0.00898/0.0300	Pass	Spiroxamine	Any amt	ND	0.00555/0.0300	Pass
Imidacloprid	5	ND	0.0109/0.0331	Pass	Tebuconazole	0.1	ND	0.00605/0.0300	Pass
Kresoxim-methyl	0.1	ND	0.00708/0.0300	Pass	Thiacloprid	Any amt	ND	0.00506/0.0300	Pass
Malathion	0.5	ND	0.00313/0.0300	Pass	Thiamethoxam	5	ND	0.00760/0.0300	Pass
Metalaxyl	2	0.282	0.00467/0.0300	Pass	Trifloxystrobin	0.1	ND	0.00293/0.0300	Pass



Signature

Signature